

Influence of Sunlight on Growth and Yield of Aloe Vera Plant

Maqsood Ali Wagan¹, Tanveer Fatima Miano¹, Bilawal Nizamani¹, Hussain Ali Shar¹, Muhammad Khan Wagan², Farhan Ali Wagan³

¹Department of Horticulture, Sindh Agriculture University, Tando Jam, Pakistan

²Department of Agronomy, Sindh Agriculture University, Tando Jam, Pakistan

³Department of Plant Pathology, Sindh Agriculture University, Tando Jam, Pakistan

Email address:

Maqsoodwagan184@gmail.com (M. A. Wagan), farhanwagan72@gmail.com (F. A. Wagan)

To cite this article:

Maqsood Ali Wagan, Tanveer Fatima Miano, Bilawal Nizamani, Hussain Ali Shar, Muhammad Khan Wagan, Farhan Ali Wagan. Influence of Sunlight on Growth and Yield of Aloe Vera Plant. *American Journal of Bioscience and Bioengineering*. Vol. 10, No. 4, 2022, pp. 84-88.

doi: 10.11648/j.bio.20221004.12

Received: June 6, 2022; **Accepted:** July 18, 2022; **Published:** July 29, 2022

Abstract: In the present study upon experiment was conducted where the influence of sunlight on the Growth and Yield of aloe Vera plant in summer. A pot experiment was performed in Sindh Agriculture University Tando Jam, Sindh, Pakistan, during the period from March 2022 to June 2022 to quantify the influence of sunlight on growth and yield of aloe vera plant in summer to different shadows. The trial was laid out at Sindh Agriculture University, Tando Jam, Sindh, Pakistan. The plants about 3 months old of aloe vera plant were transplanted in earthen pots and placed at different shadows, T0 plant kept at sunlight, T1 plant kept in shadow, and T2 aloe vera plant was kept in sunlight for 5 to 7 hours. Outcomes found out that the tremendous variant was found for the special increase contributing characters of aloe vera plant in summer due to T2 aloe vera plant was kept in sunlight for 5 to 7 hours. The highest length of leaves about (18 inches), greatest number of leaves per plant (16), greatest number of suckers / plant (7), and highest worth of leaf of aloe Vera (4 inches), highest weight of leaf (335 g), highest weight of leaf gel (275 g) was found from the (T2), Alternatively, the lowest length of leaves (13 inches), or lowest number of leaves (12), lowest number of suckers per plant (4), and the lowest worth of leaves (3.2 inches), lowest weight of leaf (290 g), lowest weight of leaf gel (145 g) result was observed from the T0 plant kept at sunlight, and middle results was observed from the T1 such as the length of leaves (14.4 inches), number of leaves (14), number of suckers per plant (5), and worth of leaf (3.4 inches), weight of leaf (300 g), weight of leaf gel (200 g).

Keywords: Sunlight Effects, Growth of Aloe Vera, Yield of Aloe Vera

1. Introduction

Aloe Vera, a cactus-like plant has been used for the traditional scientific functions for the many of years. The use of natural medicine for the treatment of many infectious diseases has been a lifestyle in lots of parts of the world. Aloe Vera (*aloe barbadensis miller*) is a succulent plant that belongs to liliaceae circle of relatives [1]. Aloe Vera became grown as an ornamental plant earlier. This species has been widely cultivated round the world. Aloe Vera has been utilized by mankind for the heaps of years in folk's medicinal drug for healing residences especially on skin. This plant is one of the oldest acknowledged and its first documented use

by way of human beings dates again to an Egyptian papyrus from 3500 BC [2]. The Greek truth seeker Aristotle wrote about the useful medicinal effect of aloe Vera, whilst references are also discovered at some stage in the bible [3]. The Egyptians called Aloe "the plant of immortality. Nowadays, the Aloe Vera plant has been utilized for different purposes in dermatology. [4-8] Aloe Vera may be a stem much less or pretty quick stemmed plant, inexperienced to gray-inexperienced, with a few assortments performing white bits on their upper and decrease stem surfaces. The threshold of The leaf is serrated and has little white teeth [9]. This

species first described through Carl Linnaeus in 1753 who advised the following classification:

Kingdom: plantae,
Order: Asparagales,
Family: Asphodelaceae,
Genus: Aloe,
Species: Aloe vera.

There are some of synonyms: *aloe barbadensis* Mill., *aloe indica* Royle, *aloe perfoliatum* L. Var *vera* and *aloe vulgaris* Lam [10]. Maximum of the aloe plants aren't poisonous, however a few are extremely poisonous. Aloe vera is an easy to take care of indoor plant famous for several health benefits related to the pores and skin. But does aloe vera need sunlight? Yes, it's best to grow aloe vera in sunlight. It is right for aloe vera to obtain 6 – 8 hours of direct or indirect sunlight. Aloe is native to North Africa and hence they may be habitual of the sun. The sunlight gives each mild in addition to warmth. It also aids in drying the water of the soil. This aids aloe vera to avoid root rot. Do be aware, aloe suffers plenty extra from overwatering than they do with under watering. If planted outdoor, aloe vera could need about 6 – 8 hours of sunlight in case you are in an extraordinarily cooler vicinity wherein fog is common. Aloe planted in a pot in the house could want direct or indirect sunlight for 6 to 8 hours. It isn't always perfect for aloe to receive much less than 3 hours of sunlight. Color might make aloe vera stupid, droopy, and lack of bloom. It'd be leggy as it'd try to grow toward a mild to revive itself. Much less sunlight will also mean that water would not dry out from the soil and can increase the chances of root rot. Much less daylight is an actual possibility if you have potted your aloe inside. To make higher situations for its boom or to revive the plant if it has grown to be droopy, we'd advise you to move the plant to a better lighting area.

Importance

Aloe vera juice and gel Aloe vera can be used in many ways in our beauty and health. The most frequent use has to do with skin problems. If we have challenging eczema that appears frequently, we can use Aloe Vera to heal those areas and soften the skin. Aloe vera also helps fight redness due to infections, though it should not be used on open wounds. On the other hand, this product is widely used for blocking the skin and hydrating the skin. You can make masks or creams that we use daily. Its features mean that it can be used by people who are tired, dry, and sensitive or combination skin, a natural product suitable for everyone. Aloe vera gel is also used to remove the burn as it is best for itchy skin. Accelerates the healing process of the skin and takes care of it by healing. This product can also be used on the skin to eliminate problems such as dryness, as it has anti-bacterial properties. This plant can be used on aesthetic, pharmaceutical and nutritional levels. It can be applied to all parts of the body, to treat hair and wounds, scars and other elements. Aloe vera has a large concentration of amino acids, minerals, water and antibiotic properties focused on L. For this reason, the wound is perfect for healing, by showing off the appearance of the skin on the face, alleviating irritation or fighting against itching.

2. Uses and Applications

Cosmetic uses: commonly, Aloe Vera has many makes uses of each for people and animals. Three wonderful preparations of the plant are used: Aloe Vera latex, Aloe Vera gel and the Aloe Vera entire leaf extract, whose biological substances may also act by themselves or in the energy. The use of Aloe Vera in cosmetics is not new; there are a lot of them in the marketplace which use the Aloe Vera in concentrations various from (1 to 98 %.) It is widely recognized that Aloe gel enables the plant to preserve moisture for extraordinarily lengthy intervals of time and has soothing outcomes as nicely. So the, Aloe Vera has located an extensive utility inside the cosmetic and toiletry industries and along with the moisturizers, cleansers, solar lotions and tooth pastes, or mouth washes, and shaving creams, and the shampoos.

Food makes use of Aloe Vera: The meals and beverage markets are the promising arena for Aloe Vera. It has been used as the aid of functional meals including yogurt for the education of health liquids and along with the tea. It is well known, that botanicals merchandise are broadly used as the nutritional supplement for promoting of health and the prevention of diseases. Aloe Vera gel may be used as a fit to be eaten coating to extend the best and protection of sparkling products. Aloe Vera inhibits the increase of microorganisms responsible for food borne infection in human beings or animals in addition to meals spoilage. Aloe Vera does not appear to have an effect on meals taste or the appearance, so it seems to be promise as a secure, herbal and environmentally- pleasant alternative solution to standard synthetic preservatives. (FDA) inside the United States has authorized the inner use of gel as a dietary supplement.

3. Medicinal Use of the Aloe Vera

Healing wounds: Due to the polysaccharides and the increase hormone gibberellins, improved collagen and elastic formation may reduce the wrinkling [11-14]. Aloe Vera outcome are in the remedy of scar tissues and the preventions of the scar formations following harm to the skin the possibly are attributed to the hobby of the amino acids vital to a new cell formation and due to the capacity of the its enzymes to promote regeneration of the inner most layers of the skin [15].

Anti-inflammatory motion and immunity activity: Because of salicylic acid, which is both analgesics and anti-inflammatory, the manufacturing of the prostaglandins from the arachidonic acid is inhibited [16]. So Aloe has been used to assist with arthritis and joint associated issues. Immunity interest is the more advantage by the using Aloe polysaccharides [17].

Effects on pores and skin exposure to UV and X-radiation: aloe vera facilitates the recovery of first to the 2nd degree burns even though the precise characteristic isn't always extensively recognized [18]. It is the usually recommended that lection can be accountable for the therapeutic effect.

Anti diabetic activities: Some inorganic factors (vanadium, manganese, copper) and particularly the polysaccharides present in the Aloe Vera may additionally have significant roles for anti diabetic activities [19]. This plant has been related with decreased blood glucose degrees in diabetics and with the decrease blood lipid stages cholesterol [20] (about 30% decreases) in the hyper lipidaemic sufferers.

Antibacterial residences: The Many researchers [21] noted that Aloe Vera inhibits the increase of a few microorganisms like (Pyogenes) (Shigella flexneri) and the (Klebsiella sp) is the mainly against Gram-fine micro organism inflicting meals poisoning or ill nesses in people and animals.

Antiviral and antitumor activity: These actions can be because of the oblique or direct outcomes: oblique thought the stimulation of the immune system and direct to anthraquinones. So, clinical trials are in the progress to the acquire conclusive proof for the use of Aloe vera inside the treatment of HIV-AIDS or the most cancers. Age-associated results: Aloe vera changed into investigated on the pathogen-looses rats with the some promising outcomes on the age-associated sicknesses.

4. The Use of Aloe Vera in Animal Nutrition

Aloe Vera other than the above mentioned uses appears to play a vital function in promoting increase in chickens [22] or of their health managements. As issues the broiler chickens, the supplementation in their basal food regimen with 600 mg·kg of Aloe powder, and the Aloe water extract and Aloe ethanol extract or an the extract aggregate of all above, may want to improve manufacturing performance and immune feature of male broilers, while the Aloe water extracts had higher outcomes than the others. On the opposite hand, broiler chickens fed with 0.1% or 0.2% Aloe Vera had no enormous effect on frame weight. No big consequences had been observed inside the feed conversion ratio [23] likewise the nutritional supplementation of Aloe Vera did now not notably have an effect on the carcass and sensory characteristics of the broiler meat. This finding favorably compared with in advance reports on carcass yield and inner organs. On the opposite, different researchers determined that Aloe Vera progressed the acceptability of broiler meat. Moreover, dietary Aloe Vera had no effect on abdominal fat tiers on the breast and thigh muscle levels of cholesterol or on the serum biochemistry (serum glucose, overall cholesterol LDL cholesterol, triglycerides, and HDL cholesterol.). Meanwhile, Aloe Vera fed broilers confirmed notably higher inhibition titer values towards Newcastle disease [24]. Also, it's far reported that this plant can be used to the deal with and the control coccidiosis in the chickens. The incorporation of Aloe Vera in laying fowl weight loss program ended in a sizeable development in the egg manufacturing (hens / eggs) but no distinction changed into the observed in the feed consumption or the feed conversion ratio. Furthermore the

nutritional supplementation of the Aloe Vera extracts in the laying hens may save you or deal with the results of experimentally intoxicated lead on the birds [25]. Moreover its miles suggested that a herbal phylogenic growth promoter, such as Aloe Vera changed into the used on the shrimp increase with promising outcomes.

5. How to Make Aloe Vera Cream

Make Aloe Vera Cream Today's money is available. Keep in mind that natural materials should be easily degraded over time, so they should be used at this time.. Another advice is to let the cream within the fridge in order that it remains in desirable circumstance for a long time, especially if inside the summer. The aloe vera cream should be made with aloe vera jelly and juice. Coconut or almonds are mixed with essential oils in several tablespoons, which is also very sweet. A little oil should be added, especially if it is oily or mixed to treat the skin. On the other hand, other items like cream or yahoo can be added to the cream, which helps us to get more suitable for use on the skin and face.

6. Materials and Method

A pot experiment was performed in sindh agriculture university tando jam, sindh, Pakistan, during the period from march 2022 to June 2021 to quantify the influence of sunlight on growth and yield of aloe vera plant in summer to different shadows.

The trial was laid out at sindh agriculture university, tando jam. The plants of about 3 months olds of aloe vera plant were transplanted in earthon pots and placed at different shadows (T0 plant kept at sunlight, T1 plant kept in shadow, and T2 aloe vera plant was kept in sunlight for 5 to 7 hours.) every day watering was did done equal quantity at 6 pm. Manures and fertilizers had been used which can be the recommended. two aloe vera leaves were randomly selected from every unit pods for the collection of information.

7. Data Recording Methodology

Leaf length: leaf length was measured from bottom to top with measuring tape.

Number of leaves, numbers of sucker per plant: The number of leaves and numbers of suckers were counted visually at the end of experiment from Avery pods. and also wirth of leaves: was measured with measuring tape.

8. Results and Discussion

In the results we are see there are many changes was occurs in the aloe Vera plant after transplantation of aloe Vera plant under shadow. We found many changes in the aloe Vera plant such as leaf lengths, Number of leaves per plants, Numbers of the suckers per plant, and worth of leaf, weight of leaf, and weight of leaf gel.

8.1. Leaf Length

The influence of sunlight on aloe Vera plant represent great source of variation on the leaf length (Figure 1), The highest length of leaf about (18 inches), was found from the T2 (aloe Vera plant was kept in sunlight for 5 to 7 hours), Alternatively, the lowest length of leaves (13 inches), result was observed from the T0 (plant kept at sunlight) and middle results was observed from the T1 (plant kept in shadow) such as the length of leaf (14.4 inches).




Figure 1. Leaf length.

8.2. Number of Leaves Per Plant

Great variation was recorded in terms of number of leaves per plant of aloe Vera (Table 1). greatest number of leaves per plant (16) was found from the T2 (aloe Vera plant was kept in sunlight for 5 to 7 hours), Alternatively, lowest number of leaves (12), result was observed from the T0 (plant kept at sunlight) and middle results was observed from the T1 (plant kept in shadow) such as number of leaves (14).

Table 1. Number of leaves per plant.

Treatments	Number of leaves per plant
T0	12
T1	14
T2	16

8.3. Number of Suckers Per Plant

The influence of sunlight on aloe Vera plant represent great source of variation on the number of suckers per plant (table 2). greatest number of suckers / plant (7) was found from the (T2) (aloe vera plant was kept in sunlight for 5 to 7 hours), Alternatively, lowest number of suckers per plant (4) result was observed from the T0 (plant kept at sunlight) and middle results was observed from the T1 (plant kept in shadow) such as the number of suckers per plant (5).

Table 2. Number of suckers per plant.

Treatments	Number of suckers per plant
T0	4
T1	5
T2	7

8.4. Wirth of Leaf

The influence of sunlight on aloe Vera plant represent great source of variation on the wirth of leaf (Table 3) highest wirth of leaf of aloe vera (4 inches) was found from the T2 (aloe vera plant was kept in sunlight for 5 to 7 hours), Alternatively the lowest wirth of leaves (3.2 inches) result was observed from the T0 (plant kept at sunlight) and middle

results was observed from the T1 (plant kept in shadow) such as the wirth of leaf (3.4 inches).

8.5. Weight of Leaf

The influence of sunlight on aloe Vera plant represent great source of variation on the weight of leaf (Table 3) highest weight of leaf (335 g) was found from the T2 (aloe vera plant was kept in sunlight for 5 to 7 hours), Alternatively lowest weight of leaf (290 g) result was observed from the T0 (plant kept at sunlight) and middle results was observed from the T1 (plant kept in shadow) such as the weight of leaf (300 g).

8.6. Weight of Leaf Gel

The influence of sunlight on aloe Vera plant represent great source of variation on the weight of leaf gel (Table 3) highest weight of leaf gel (275 g) was found from the T2 (aloe Vera plant was kept in sunlight for 5 to 7 hours), Alternatively, lowest weight of leaf gel (145 g) result was observed from the T0 (plant kept at sunlight) and middle results was observed from the T1 (plant kept in shadow) such as weight of leaf gel (200 g).

Table 3. Wirth of leaf, Weight of leaf, Weight of leaf gel.

Treatments	Wirth of leaf (inch)	Weight of leaf (g)	Weight of leaf gel (g)
T0	3.2 inches	290 g	145 g
T1	3.4 inches	300 g	200 g
T2	4 inches	335 g	275 g

7. Conclusion

Aloe Vera isn't a fussy plant. It could develop in half shadow sunlight or oblique sunlight. But it would require 6 to 8 hours of daylight. If it receives much less than the precise sunlight length of 6 hours, you will want to supplement with the help of develop light to keep away from leggy growth. However aloe vera can live without sunlight but we must provide 5 to 7 hours of sunlight as it's far one of the crucial necessities.

Acknowledgements

Authors are highly grateful and acknowledge the contributions of whole team of researcher for support and kind guidance. And financial support for this work was provided by the Mr. Farhan Ali Wagan.

References

[1] Alemdar S, Agaoglu S. Investigation of in vitro antimicrobial activity of Aloe vera juice. *J Anim Vet Adv.* 8 (1), 2009, 99-102.

[2] Crosswhite, F. S. and Crosswhite, C. D. 1984. Aloe vera, plant symbolism, and the threshing floor. *Desert Plants* 6: 43-50.

[3] Gage, D. 1996. Aloe vera: Natures Soothing Healer. Healing Acts Press, Rochester, Vermont, USA, 120 p.

- [4] Davis RH, Kabbani JM, Maro NP. Aloe Vera and wound healing. *J Am Podiatric Med Assoc* 1987; 77: 165-9.
- [5] Visuthikosol V, Chowchuen B, Sukwanarat Y, Sriurairatana S, Boonpucknavig V. Effect of Aloe Vera gel to healing of burn wound- a clinical and histologic study. *J Med Assoc Thai* 1995; 78: 403-9.
- [6] Miller MB, Koltai PJ. Treatment of experimental frostbite with pentoxifylline and aloe Vera cream. *Arch Otolaryngology Head Neck Surge* 1995; 121: 678-80.
- [7] Hegggers JP, Pelley RP, Robson MC. Beneficial effects of Aloe in wound healing. *Phytotherapy Res* 1993; 7: S48- 52.
- [8] Unani Pharmacopeia of India. Part-1 vol. 1. New Delhi: Department of Ayush; 2007 p. 82-83.
- [9] Yates A. (2002) *Yates Garden Guide*. Harper Collins Australia.
- [10] <http://en.wikipedia.org/wiki/Aloe-Vera>, 2010.
- [11] Surjushe, A., Vasani, R. and Saple, D. G. 2008. Aloe vera: A short review. *Indian Journal of Dermatology* 53: 163-166.
- [12] Reynolds, T. and Dweck, A. C. 1999. Aloe vera leaf gel: A review update. *J. of Ethnopharmacology* 68: 3-37.
- [13] Davis, R. H., Parker, W. I. and Samson, R. T. 1991. Isolation of a stimulatory system in an aloe extract. *J. American Podiatric Medical Assoc.* 81: 473-478.
- [14] Tizard, I., Busbee, D., Maxweell, B. and Kemp, M. 1994. Effects of Acemannan, a complex carbohydrate, on wound healing in young and old rats. *Wounds* 6: 201-209.
- [15] Eshun, K. and He, Q. 2004. Aloe vera: A valuable ingredient for the food, pharmaceutical and cosmetic industries, A review. *Critical Reviews in Food Science and Nutrition* 44: 91-96.
- [16] Klein, A. D. and Penneys, N. S. 1988. Aloe vera. *J. of the American Academy of Dermatology* 18: 714-720.
- [17] Yu, Z. H., Jin, C., Xin, M. and JianMin, H. 2009. Effect of Aloe vera polysaccharides on immunity and antioxidant activities in oral ulcer animal models. *Carbohydrate Polymers* 75: 307-311.
- [18] Maenthaisong, R., Chaiyakunapruk, N. and Niruntraporn, S. 2007. The efficacy of Aloe vera for burnwound healing: A systematic review. *Burns* 33: 713-718.
- [19] Rajendran, A., Narayanan, V. and Gnanavel, I. 2007. Study on the analysis of trace elements in Aloe vera and its biological importance *J. of Applied Sciences Research* 3: 1467-1478.
- [20] Franz, Ch., Bauer, R., Carle, R., Tedesco, D., Tubaro, A. and Zitterl- Eglseer, K. 2005. Study of the assessment of plants/herbs, plant/herb extracts and their naturally or synthetically produced components as “additives” for use in animal production CFT/EFSA/FEEDAP/2005/01.
- [21] Boudreau, M. D. and Beland, F. A. 2006. An evaluation of the biological and toxicological properties of Aloe barbadensis (Miller), Aloe vera. *J. Environ. Sci. Health. C Environ. Carcinog. Ecotoxicol. Rev.* 24 (1): 103-154.
- [22] Bejar, F. R. and Colapo, R. P. 2005. Growth performance and sensory evaluation of broilers supplemented with Aloe vera (Aloe barbadensis) extract in drinking water. 42 PSAS National Convention, Manila, Philippines.
- [23] Wang, C., Jia, H., Tong, J., Gao, W., Sa, R. and Zhang, Q. 2007. Effect of Aloe powder and extract on production performance and immune function of broiler chickens. *J. Fujian Agriculture and Forestry University* 12: 6-12.
- [24] Mehala, C. and Moorthy, M. 2008. Effect of Aloe vera and Curcuma longa (turmeric) on carcass characteristics and biochemical parameters of broilers. *Internat. J. Poultry Sci* 7: 857-861.
- [25] El-shewy, E. A., El-Bonaay, I. M. and El-Ghareeb, H. 2007. Evaluation of true efficacy of crude extract of Aloe vera in laying hens experimentally intoxicated with lead with fowl cholera. The second Sci. Conference, Benha and Ras Sedr, Egypt.